

EVD2-915/1284

COBHAM

Dipole antenna

The most important thing we build is trust


Designed for Cellular DAS Applications

Suitable for Mobile Applications


Compact Design

Connector Options Available


Ground Plane Independent




Azimuth Pattern



Elevation Pattern



SIDE VIEW



BASE VIEW

GA: 1284

N(M) CONNECTOR



ELECTRICAL

Frequency	870 - 960 MHz
Gain	2 dBi nominal
Polarisation	Linear (Vertical)
Beamwidth	360° (Az) x 80° (El)
Axial ratio	15-20 dB Typical
VSWR	2:1
Power Rating	10W
Front to Back	N/A

MECHANICAL

Standard Finish	Matt Black
Mass	0.12 Kg (0.26 lbs)
Temperature	-20° to +50°C
Wind Loading	N/A

MOUNTING OPTIONS

Kits Available	N/A
----------------	-----

See separate data sheets

ADDITIONAL NOTES

Issued 180210

European Antennas Limited trading as Cobham Antenna Systems, Microwave Antennas

European Antennas Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

The copyright of antenna designs and images is copyright protected and owned by European Antennas Limited.
©European Antennas Limited

For further information please contact:

Cobham Antenna Systems, Microwave Antennas

Lambda House, Cheveley,

Newmarket, Suffolk CB8 9RG, UK.

Tel +44 (0)1638 732 177

Fax +44 (0) 1638 731999

Email antennasystems.ma@cobham.com