

# EVD2-915/1284

# COBHAM

## Dipole antenna

The most important thing we build is trust


Designed for Cellular DAS Applications

Suitable for Mobile Applications


Compact

Connector Options


Ground Plane Independent



Azimuth Pattern



Elevation Pattern



**SIDE VIEW**

**BASE VIEW**

**GA: 1284**

N(M) CONNECTOR



### ELECTRICAL

Frequency 870 - 960 MHz

Gain 2 dBi nominal

Polarisation Linear (Vertical)

Beamwidth 360° (Az) x 80° (El)

Axial ratio 15-20 dB Typical

VSWR 2:1

Power Rating 10W

Front to Back N/A

### MECHANICAL

Standard Finish Matt Black

Mass 0.12 Kg (0.26 lbs)

Temperature -20° to +50°C

Wind Loading N/A

### MOUNTING OPTIONS

Kits Available N/A

See separate data sheets

### ADDITIONAL NOTES

Issued 180210

European Antennas Limited trading as Cobham Antenna Systems, Microwave Antennas

European Antennas Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

The copyright of antenna designs and images is copyright protected and owned by European Antennas Limited.  
©European Antennas Limited

For further information please contact:

Cobham Antenna Systems, Microwave Antennas

Lambda House, Cheveley,

Newmarket, Suffolk CB8 9RG, UK.

Tel +44 (0)1638 732 177

Fax +44 (0) 1638 731999

Email [newmarket.sales@cobham.com](mailto:newmarket.sales@cobham.com)