## SBA-1700/154



**Short Blade Antenna** 

## The most important thing we build is trust


Designed for Motor Sport Telemetry


Suitable for Multiple Applications

Lightweight

Low Profile

Ground Plane Independent





Elevation Pattern

	30[1.18]	2.40[0.09]
[27.]		
94.50[3.72]	2.50[0.10]	
SIDE VIEW		
1.80[0.07]	SMA(F) CONNECTOR	
1.80		
BASE VIEW	80[3.15] 100[3.94]	MOUNTED VIA 6 OFF Ø 2.6 HOLES (4 OFF EQUI-SPACED ON 18.0 [0.71] PCD
GA: 015	4	ON 18.0 [0.71] PCD

ELECTRICAL	
Frequency	1.65 - 1.75 GHz
Gain	2.0 dBi Nom
Polarisation	Linear (Vertical)
Beamwidth	360° (Az) x 80° (El) Approx
Cross Polar	18 dB
VSWR	1.5:1
Power Rating	10 W
Front to Back	N/A
MECHANICAL	
Standard Finish	Matt Black
Mass	65 g (2.3 oz)
Temperature	-20° to +50°C
Wind Loading	N/A
MOUNTING OPTIONS	
Kits Available	N/A
	,, .

## ADDITIONAL NOTES

See separate data sheets

European Antennas Limited trading as Cobham Antenna Systems, Microwave Antennas

European Antennas Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

Issued 210411

For further information please contact:
Cobham Antenna Systems, Microwave Antennas
Lambda House, Cheveley,
Newmarket, Suffolk CB8 9RG, UK.
Tel +44 (0) 1638 732 177
Fax +44 (0) 1638 731999
Email newmarket.sales@cobham.com