
## OA2-2.4V/1392




## **Omni Antenna**

## The most important thing we build is trust

Designed for Security Applications
Designed for WLan Applications
Designed for Integrated Solutions
Low Azimuth Ripple
Lightweight Design





Elevation Pattern

_28.	63 [1.13]				
SIDE VIEW	184.62 [7.27] 7.62 [0.30]	3.81 [0.15]	.0-32 x 1/4" I TAPPED HC	DEEP DLE	
	0.50	<u> </u>	TNC (F)	) OR	
BASE VIEW	12.70 0.50	<b>⊚</b> - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	1.75 [1.25]		
GA: 1392					

ELECTRICAL			
Frequency	2.25 - 4.00 GHz		
Gain	2 dBi Nom		
Polarisation	Linear (Vertical)		
Beamwidth	360° (Az) x 65° (El) Approx		
Cross Polar	>20 dB		
VSWR	2:1		
Power Rating	10 W		
Front to Back	N/A		
MECHANICAL			
Standard Finish	Matt Black		
Mass	125g (4.4 oz)		
Temperature	-20° to +50°C		
Wind Loading	940 g(2.07lbs) @ 100mph		
MOUNTING OPTIONS			
Kits Available	N/A		
See separate data sheet	S		

Issued 250210

European Antennas Limited trading as Cobham Antenna Systems, Microwave Antennas

European Antennas Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

For further information please contact:
Cobham Antenna Systems, Microwave Antennas
Lambda House, Cheveley,
Newmarket, Suffolk CB8 9RG, UK.
Tel +44 (0)1638 732 177
Fax +44 (0) 1638 731999
Email antennasystems.ma@cobham.com