

OA2-2.1-5.9-GN-SRT/9626

Wideband Omni Gooseneck Antenna



Key Features


Multiple Applications

Suitable for:


- Manpack
- Ground Robot

IP68

Ground Plane Independent




Typical Elevation Polar Plot



Gain Plot

SIDE VIEW

BASE VIEW



ELECTRICAL

Frequency:	2.0 - 6.0 GHz
Gain:	2 - 4 dBi Typ. See Gain Curve
Polarisation:	Linear (Vertical)
Beamwidth:	360° (Az) x 45 -65° (El)
Cross Polar:	>20 dB Typ.
VSWR:	2:1 Typ, 3:1 Max.
Power Rating:	10 W
Front to Back:	N/A

MECHANICAL

Standard Finish:	Black
Mass:	96 g / 0.21 lbs
Temperature:	-40° to +70°C
Wind Loading:	N/A

MOUNTING OPTIONS

Direct Mount to Bulk Head Connector

DS: 9626-1 Issued: 300719

Dimensions: mm [inches] H

Chelton Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

The copyright of antenna designs and images is copyright protected and owned by Chelton Limited.
©Chelton Limited

For further information please contact:
Chelton Limited,
Lambda House, Cheveley,
Newmarket, Suffolk CB8 9RG, UK.
T: +44 (0)1638 732 177
E: newmarket.sales@chelton.com
W: www.chelton.com/microwave